

FDA Cleared Indications for Use

The ThermoSuit is a thermal regulating system

Indications for use are:

- a. Temperature reduction in patients where clinically indicated, e.g. in hyperthermic patients;
- b. Monitoring of patient temperature.

Patient Population

The ThermoSuit System (Size M) is indicated for patients

- Greater than 58" (147 cm) and less than 75" (190 cm) in height
- And less than 26" (66 cm) in width

References Related to the LRS ThermoSuit® System

- **Howes D, Ohley W, Dorian P, Klock JC, Freedman R, Schock R, Krizanac D, Holzer M**, "Rapid Induction of Therapeutic Hypothermia using Convective-Immersion Surface Cooling: Safety, Efficacy, and Outcomes", *Resuscitation* 2010 Vol. 81, no .4, 388-392 [link](#)
- **McMullan P, Badawi R, Salvaggio LA, Amin RR, Sundel ET, Winterbottom F, White CJ**, "Rapid Liquid Surface Cooling in Comatose Patients with Cardiopulmonary Arrest Improves Survival", *Circulation*. 2009;120:S1485. [link](#)
- **Holzer M, Janata A, Haugk M, Krizanac D, Sterz F**, "Efficacy and Safety of a Novel Rapid Non-invasive Surface Cooling Device for Induction of Therapeutic Hypothermia in Patients after Cardiac Arrest", *Circulation*. 2007;116:II_930. [link](#)
- **Ohley WJ, Schock RB, Howes D, Holzer M, Dorian P, Freedman R**, "Rapid Surface Cooling in Unconscious Post Resuscitation Patients Following Cardiac Arrest: Safety, Efficacy, and Outcomes", *Circulation*. 2008;118:S_1486. [link](#)
- **Janata A, Weihs W, Bayegan K, Schratter A, Holzer M, Behringer W, Schock RB, Losert UM, Springler G, Schmidt P, Sterz P**, "Therapeutic hypothermia with a novel surface cooling device improves neurologic outcome after prolonged cardiac arrest in swine", *Crit Care Med* 2008 Vol. 36, no. 3, 895-902.
- **Shraetter, A., Weihs, W., Holzer, M., Janata, A., Behringer, W., Losert, U., Ohley W., Schock, R., Sterz, F.**, 'External cardiac defibrillation during wet surface cooling in pigs, *American Journal of Emergency Medicine* (2007) 25, 420-424.
- **Freedman R., Cote, M., Schock, R.B., Schofield, L., Ohley, W.J.**, "Rapid non-invasive whole body cooling via a skin contacting circulating thin layer of cold water", *Circulation* 108 (17): 419-420 1936 Suppl. S Oct 28 2003
- **Ohley, W.J., Schock, R.B., Cote, M., Freedman, R.**, 'A non-Invasive Hypothermia and Re-warming system,' *Third European Emergency Medicine Conference, 2005*.
- **Ohley, W.J., Schock, R.B., Cote, M., Freedman, R.**, 'Hypothermia Induction in Domestic Swine: Comparison Of Cold Intravenous Infusion With A Non-Invasive Approach,' *Academic Emergency Medicine Volume 12, Number 5 suppl 1* 65-66, 2005.

- **Janata A., Weihs W., Bayegan K., Schratter A., Robak O., Schock R.B., Cote M., Freedman R.J., Losert U.M., Laggner A.N., Sterz F.**, "Mild Therapeutic Hypothermia with LRS Thermosuit™ after Prolonged Cardiac Arrest in Pigs", American Heart Association Scientific Sessions, 2005.
- **Schratter A. et al**, "External Defibrillation during Wet Surface Cooling in Pigs", *ERC 2006 Proceedings, Resuscitation April 2006*, p. 52.
- **Ohley W., et al**, "Induced Rapid Hypothermia in a Large Animal Model: Comparison of Two Noninvasive Cooling Methods" *ERC 2006 Proceedings, Resuscitation April 2006*, p. 59.
- **Schratter A. et al**, "Low Core Temperature Improves the Defibrillation Success after Cardiac Arrest in Pigs", *ERC 2006 Proceedings, Resuscitation April 2006*, p. 146.
- **Shraetter, A., Weihs, W., Holzer, M., Janata, A., Behringer, W., Frossard, M., Bayegan, K., Losert, U., Laggner, A., Ohley, W., Klock-Frezot, C., Schock, R., Sterz, F.**, "External cardiac defibrillation during wet surface cooling in pigs, *AHA RESS (2006), Circulation Supplement II Vol 114 no 18 pg 1205.* [link](#)
- **White CJ et al**, Lipid Mediators as Novel Biomarkers and Surrogate Indicators of Neurologic Recovery after Cardiac Arrest in a Hypothermic Swine Model *AHA RESS (2006), Circulation Supplement II Vol 114 no 18.* [link](#)
- **Ohley W. et al**, Mild Hypothermia Induced Rapidly in Human Sized Animals *AHA RESS (2006), Circulation Supplement II Vol 114 no 18.* [link](#)
- **Springler G., Janata A., Weihs W., Bayegan K., Schratter A., Behringer W., Schock R.B., Freedman R.J., Losert U.M., Laggner A.N., Schmidt P., Sterz F.**, "Reduction of Histological Damage after prolonged cardiac arrest with mild therapeutic hypothermia", *Circulation*. 2007;116:II_933. [link](#)
- **Ohley W., Schock R.B., Klock C., Schofield L., Cote M., Freedman R.**, "Rapid Whole Body Cooling in Large Swine: Effects on Heart Rate and Arterial Blood Pressure", *Circulation*, Oct 2007; 116: II_939. [link](#)
- **Marchione, M.**, "Heart attack patients get "big chill" treatment", *Associated Press*, Dec. 5, 2008. [link](#)
- **Holzer M.**, "Devices for rapid induction of hypothermia", *European Journal of Anesthesiology* 2008; 25; (Suppl 42): 31-38.
- **Schuler GC**, "Spectrum of Delivery Methods for Therapeutic Hypothermia: Today and Tomorrow", *Transcatheter Cardiovascular Therapeutics Meeting*, Sept. 2009.
- **Howard B.**, "Easy Knee Repair, Scar-Free Surgery...and five other medical miracles that could change your life"; "Code Cool", *Good Housekeeping Magazine*, Jan. 2010; 53.
- **Pittaway T.**, "Back from the Brink", *The Current (Part 2)*, Canadian Broadcast Corp., 2/11/08; <http://tinapittaway.com/2009/12/back-from-the-brink/> .

References Discussing Benefits of Rapid Cooling

- **Wolff B, Machill K, Schumacher D, Schulzki I, Werner D**, "Early achievement of mild therapeutic hypothermia and the neurologic outcome after cardiac arrest", *International Journal of Cardiology* 2009.
- **Polderman K and Herold I**, "Therapeutic hypothermia and controlled normothermia In the intensive care unit: Practical considerations, side effects, and cooling methods", *Crit Care Med* 2009.
- **Peberdy MA et al**, "Impact of Rapid Cooling, a Multidisciplinary Post Resuscitation Strategy, and Regionalization of Care Compared to Hypothermia Alone on Outcomes After Out-of Hospital Cardiac Arrest, *Resuscitation Science Symposium, AHA 2009.* [link](#)

- **McMullan P, Badawi R, Salvaggio LA, Amin RR, Sundel ET, Winterbottom F, White CJ**, "Rapid Liquid Surface Cooling in Comatose Patients with Cardiopulmonary Arrest Improves Survival", *Circulation*. 2009;120:S1485.[link](#)
- **Castrén M et al**, "Intra-arrest Trans-nasal Evaporative Cooling: A Randomized Pre-Hospital Multicenter Study: PRINCE (Pre-ROSC Intra Nasal Cooling Effectiveness)", *Resuscitation Science Symposium, AHA Scientific Sessions, 2009*.
- **Dietrich WD**, "Therapeutic hypothermia for spinal cord injury", *Crit Care Med* 2009 Jul;37(7Suppl):S238-42.
- **Shao Zuo-Hui et al**, "Hypothermia-induced cardioprotection using extended ischemia and early reperfusion cooling", *Am J Physiol Heart Circ Physiol* 2006
- **Nozari et al** "Critical Time Window for Intra-Arrest Cooling With Cold Saline Flush in a Dog Model of Cardiopulmonary Resuscitation", *Circulation*. 2006;113:2690-2696.
- **Kawamura N, Schmelzer JD, Wang Y, Scheichel AM, Low PA**, "The therapeutic window of hypothermic neuroprotection in experimental ischemic neuropathy: protection in ischemic phase and potential deterioration in later reperfusion phase", *Exp Neurol*. 2005 Oct;195(2):305-12.
- **Alam HB, Chen Z, Honma K, Koustova E, Querol RI, Jaskille A, Inocencio R, Ariaban N, Toruno K, Nadel A, Rhee P.** , "The rate of induction of hypothermic arrest determines the outcome in a Swine model of lethal hemorrhage", *J Trauma*. 2004 Nov;57(5):961-9.
- **Carroll M, Beek O**, "Protection against hippocampal CA1 cell loss by post-ischemic hypothermia is dependent on delay of initiation and duration", *Metab Brain Dis*. 1992 Mar;7(1):45-50.
- **Busto R, Dietrich WD, Globus MY, Ginsberg MD**, "Postischemic moderate hypothermia inhibits CA1 hippocampal ischemic neuronal injury", *Neurosci Lett*. 1989 Jul 3; 101(3): 299-304.
- **Kuboyama K et al**, "Delay in cooling negates the beneficial effect of mild resuscitative cerebral hypothermia after cardiac arrest in dogs: a prospective, randomized study", *Crit Care Med* 1993; 21:1348-58.
- **Coimbra C, Wieloch T**, "Moderate hypothermia mitigates neuronal damage in the rat brain when initiated several hours following transient cerebral ischemia", *Acta Neuropathologica* 1994; 87 (4), 325-331.
- **Markgraf CG**, Clifton GL, Moody MR, "Treatment window for hypothermia in brain injury", *J Neurosurg*. 2001 Dec; 195(6):979-83.
- **Dietrich WD**, "Therapeutic hypothermia for spinal cord injury", *Crit Care Med* 2009 Jul;37(7Suppl):S238-42.

General References Related to Therapeutic Hypothermia

- **Fay T**, "Observations on prolonged human refrigeration", *NY State J Med* 1940; 40: 1352-4.
- **Bigelow WG et al**, " Further experiences with hypothermia for intracardiac surgery in monkeys and groundhogs", *Ann Surg* 1953; 137: 361-4.
- **Williams GR, Spencer FC**, "The clinical use of hypothermia following cardiac arrest", *Ann Surg* 1958; 148:462-8.
- **Benson DW et al**, "The use of hypothermia after cardiac arrest", *Anesth Analg* 1959; 38:423-8.

- **Bohn DJ et al**, "Influence of hypothermia, barbituate therapy, and intracranial pressure monitoring on morbidity and mortality after near-drowning", *Crit Care Med* 1986; 14:529-34.
- **Negovsky VA**, "Postresuscitation Disease", *Crit Care Med*. 1988 Oct;16(10):942-6.
- **Biggart MJ and Bohn DJ**, "Effect of hypothermia and cardiac arrest on outcome of near-drowning accidents in children", *Journal of Pediatrics* 1990; 117 (2 Pt 1) 179-83.
- **Husby P et al**, "Dyp aksidentell hypotermi med asystoli", *Tidsskr Nor Loegeforen nr. 2*, 1991; 111 183-5.
- **Lexow K**, "Severe Accidental Hypothermia: Survival after 6 Hours 30 minutes of Cardiopulmonary Resuscitation", *Arct Med Res* 1991; 50: Suppl. 5 112-114.
- **Locher T et al**, "Akzidentelle Hypothrmie in der Schweiz (1980-1987) – Ksuistik und prognostisch Faktoren", *Schweiz med Wschr.* 1991; 121 1020-1028.
- **Bolgiano E et al**, "Accidental Hypothermia with Cardiac Arrest: Recovery following Rewarming by Cardiopulmonary Bypass", *The Journal of Emergency Medicine* 1992; 10 427-433.
- **Clifton GL et al**, "Systemic hypothermia in treatment of brain injury", *Journal of Neurotrauma* 1992; 9/suppl. 2 s487-s495.
- **Jolly BT and Ghezzi KT**, "Accidental Hypothermia", *Emergency Medicine Clinics of North America* 1992; 10 (2) 311-327.
- **Illevich UM**, "Effects of hypothermic metabolic suppression on hippocampal glutamate concentrations after transient global cerebral ischemia", *Anesth Analg* 1994; 78:905-11.
- **Sterz F et al**, "Mild resuscitative hypothermia and outcome after cardiopulmonary resuscitation", *Journal of Neurosurgical Anesthesiology* 1996; 8 (1) 88-96.
- **Marion DW et al**, "Resuscitative Hypothermia", *Critical Care Medicine* 1996; 24 (2 suppl) s81-9.
- **Bernard SA et al**, "Clinical trial of induced hypothermia in comatose survivors of out-of-hospital cardiac arrest", *Ann Emerg Med* 1997; 30:146-53.
- **Tisherman SA et al**, "Future directions for resuscitation research", *Resuscitation* 1997; 34 3 281-93.
- **Bernard SA et al**, "Clinical trial of induced hypothermia in comatose survivors of out-of-hospital cardiac arrest", *Annals of Emergency Medicine* 1997; 30(2) 146-53.
- **Walpoth BH et al**, "Outcome of Survivors of Accidental Deep hypothermia and Circulatory Arrest with Extracorporeal Blood Warming", *New England Journal of Medicine* 1997; 337 1500-1505.
- **Plattner, Olga MD; Kurz, Andrea MD; Sessler, Daniel I. MD; Ikeda, Takehiko MD; Christensen, Richard BS; Marder, Danielle BS; Clough, David MD,, "Efficacy of Intraoperative Cooling Methods", *Anesthesiology*. 87(5):1089-1095, November 1997.**
- **Tadler, SC et al**, "Noninvasive Cerebral Cooling in a Swine Model of cardiac Arrest", *Acad Emerg Med*, 1998, Jan, 5:1, 25-30.
- **Coldbourne, F et al**, "Behavioral Testing Does Not Exacerbate Ischemic CA1 Damage in Gerbils", *Stroke* 1998; 29:1967-1971.
- **Maier CM et al**, "Optimal Depth and Duration of Mild Hypothermia in a Focal Model of Transient Cerebral Ischemia", *Stroke* 1998; 29:2171-2180.
- **Yanagawa Y et al**, "Preliminary clinical outcome study of mild resuscitative hypothermia after out-of-hospital cardiopulmonary arrest", *Resuscitation* 1998; 39/1-2 61-66.
- **Shiozaki T et al**, "Selection of severely head injured patients for mild hypothermia therapy", *Journal of Neurosurgery* 1998; 89 (2) 206-11.
- **Corbett RJT and Laptook AR**, "Failure of localized head cooling to reduce brain temperature in adult humans", *NeuroReport* 1998; 9/12 2721-2725.

- **Colburne F et al**, "Indefatigable CA1 sector neuroprotection with mild hypothermia induced 6 hours after severe forebrain ischemia in rats", *J Cereb Blood Flow Metab* 1999; 19:742-9.
- **Tisherman SA et al**, "Therapeutic hypothermia in traumatology", *Surgical Clinics of North America*, 1999 Dec; 79 (6) 1269-89.
- **Kilpatrick AW et al**, "Hypothermia and the trauma patient", *Canadian Journal of Surgery* 1999; 42 (5) 333-43.
- **Yamashita C et al**, "Mild hypothermia for temporary brain ischemia during cardiopulmonary support systems: report of three cases", *Surgery Today* 1999; 29 (2) 182-5.
- **Hicks SD et al**, "Hypothermia during reperfusion after asphyxial cardiac arrest improves functional recovery and selectively alters stress-induced protein expression", *J Cereb Blood Flow Metab* 2000;20:520-30.
- **Zeiner A et al**, "Mild resuscitative hypothermia to improve neurological outcome after cardiac arrest: A clinical feasibility trial", *Stroke* 2000; 31/1 (86-94).
- **Guvakov DV et al**, "Effectiveness of Forced Air Warming After Pediatric Cardiac Surgery Employing Hypothermic Circulatory Arrest Without Cardiopulmonary Bypass", *J. Clin. Anesth.*, vol. 12, November 2000, pp. 519-524.
- **Behringer W et al**, "Rapid hypothermic aortic flush can achieve survival without brain damage after 30 minutes cardiac arrest in dogs", *Anesthesiology* 2000; 93 (6) 1491-9.
- **Behringer W et al**, "Rapid Induction of Mild Cerebral Hypothermia by Cold Aortic Flush Achieves Normal Recovery in a Dog Outcome Model with 20-minute Exsanguination Cardiac Arrest", *Acad Emerg Med* 2000; 7 (12) 1341-1348.
- **Nagao K**, "Cardiopulmonary Cerebral Resuscitation Using Emergency Cardiopulmonary Bypass, Coronary Reperfusion Therapy and Mild Hypothermia in Patients With Cardiac Arrest Outside the Hospital", *Journal of the American College of Cardiology* 2000; 36 (3) 776-783.
- **Safar P et al**, "Suspended animation for delayed resuscitation from prolonged cardiac arrest that is unresuscitatable by standard cardiopulmonary resuscitation", *Crit Care Med* 2000; 28 (11) N214-218.
- **Hickey RW**, "Delayed, spontaneous hypothermia reduces neuronal damage after asphyxial cardiac arrest in rats", *Crit Care Med* 2000; 28 (10) 3511-3516.
- **Ao H et al**, "Long-term hypothermia with extracorporeal lung and heart assist improves survival from prolonged cardiac arrest in dogs", *Resuscitation* 2001; 48 163-174.
- **Haney, DQ**, "New Way Found to Prevent Stroke Damage", *Associated Press*, 2001.
- **Felberg RA et al**, "Hypothermia After Cardiac Arrest – Feasibility and Safety of an External Cooling Protocol", *Circulation* 2001; 104: 1799-1804.
- **Holzer M. et al**, "Mild Therapeutic Hypothermia to Improve the Neurologic Outcome after Cardiac Arrest", *N Engl J Med* 2002, Vol. 346, No. 8, 549-556.
- **Bernard SA et al**, "Treatment of Comatose Survivors of Out-of-Hospital Cardiac Arrest with Induced Hypothermia", *N Engl J Med* 2002, Vol. 346, No. 8, 557-563.
- **Safar PJ, Kochanek PM**, "Therapeutic Hypothermia after Cardiac Arrest", *N Engl J Med* 2002, Vol. 346, No. 8, 612-613.
- **Becker LB et al**, "The PULSE Initiative – Scientific Priorities and Strategic Planning for Resuscitation Research and Life Saving Therapies", *Circulation* 2002; 105: 2562-2570.
- **Inamazu J and Ichikizaki K**, "Mild Hypothermia in Neurologic Emergency: an Update", *Annals of Emergency Medicine* 2002; 40:2, 220-230.
- **Holzer M. et al**, "Effectiveness and Feasibility of Rapid Endovascular Cooling for Resuscitative Hypothermia", *Supplement II Circulation Vol. 106, No. 19, 2002*, p. II-404.

- **Dae MW et al**, "Effect of endovascular cooling on myocardial temperature, infarct size, and cardiac output in human-sized pigs", *Am J Physiol* 2002; 282: H1584-H1591.
- **Vanden Hoek TL et al**, "Rapid Brain and Chest Cooling during CPR Using Intravenous and Intrapulmonary Phase-Change Ice Slurry", *Circulation* Vol. 106, No. 19, 2002, p. II-497.
- **International Liaison Committee on Resuscitation (ILCOR)**, "An Advisory Statement by the Advanced Life Support Task Force of the International Liaison Committee on Resuscitation", *Circulation* 2003;108:118-121.
- **Bernard S. et al**, "Induced hypothermia using large volume, ice-cold intravenous fluid in comatose survivors of out-of-hospital cardiac arrest: a preliminary report", *Resuscitation* 2003, 56, 9-13.
- **C. I. Proulx, M. B. Ducharme, and G. P. Kenny**, "Effect of water temperature on cooling efficiency during hyperthermia in humans", *J Appl Physiol* 94(4):1317-1323, 2003.
- **Freedman R, Cote M, Schock RB, Schofield L, Whitworth U, Ohley WJ**, "Rapid Non-Invasive Whole Body Cooling Via A Skin Contacting Circulating Thin Layer of Cold Water", American Heart Association Scientific Sessions, Nov. 2003.
- **O'Neill WW**, "Acute Myocardial Infarction: Current Strategies, Future Approaches", Transcatheter Cardiovascular Therapeutics Meeting, Sept. 2003.
- **Behringer W, Safar P, Wu X, Kentner R, Radovsky A, Kochanek PM, Dixon CE, Tisherman SA.**, "Survival without brain damage after clinical death of 60-120 mins in dogs using suspended animation by profound hypothermia", *Crit Care Med.* 2003 May;31(5):1523-31.
- **Abella B.S. et al**, "Intra-Arrest Cooling Improves Outcomes in a Murine Cardiac Arrest Model", *Circulation*, 6/8/2004, pp. 2786-91.
- **Abella B.S.**, "Intra-Arrest Cooling Improves Outcomes in a Murine Cardiac Arrest Model et al", *Circulation*, 6/8/2004, pp. 2786-91.
- **Boddicker K.**, Hypothermia Improves Defibrillation Success and Resuscitation Outcome from Ventricular Fibrillation * , (23 Kg swine, 8 min. untreated VF), AHA Scientific Sessions, Nov. 2004.
- **Clifton GL.** "Is keeping cool still hot? An update on hypothermia in brain injury", *Current Opinion in Critical Care.* 2004 Apr;10(2):116-9.
- **Krieger D.**, "Therapeutic hypothermia for acute ischemic stroke: what do laboratory studies teach us?", *Stroke* 2004. **Zweifler Rm, Voorhees ME, Mahmood MA, Parnell M**, "Magnesium sulfate increases the rate of hypothermia via surface cooling and improves comfort", *Stroke.* 2004, Oct;35(10):2331-4.
- **Takata K, Takeda Y, Sato T, Nakatsuka H, Yokoyama M, Morita K**, "Effects of hypothermia for a short period on histologic outcome and extracellular glutamate concentration during and after cardiac arrest in rats", *Crit Care Med.* 2005 Jun;33(6):1449-52.
- **Janata J. et al**, "Mild Therapeutic Hypothermia with LRS Thermosuit™ after Prolonged Cardiac Arrest in Pigs ", *American Heart Association Scientific Sessions*, Nov. 2005.
- **Li HQ et al**, "A pilot study: The Noninvasive Surface Cooling Thermoregulatory System for Mild Hypothermia Induction in Acute Myocardial Infarction (The NICAMI Study)", *Am Heart J* 2005; 150:933.e9-993.e13.
- **Polderman KH et al**, "Induction of hypothermia in patients with various types of neurologic injury with use of large volumes of ice-cold intravenous fluid", *Crit Care Med* 2005 Dec;33(12):2744-51.
- **Ohley, W.J., Schock, R.B., Cote, M., Freedman, R.**, 'Hypothermia Induction In Domestic Swine: Comparison Of Cold Intravenous Infusion With A Non-Invasive

Approach,' *Academic Emergency Medicine* Volume 12, Number 5 suppl 1 65-66, 2005.

- **Ohley, W.J., Schock, R.B., Cote, M., Freedman, R.**, 'A non-Invasive Hypothermia and Re-warming system,' *Third European Emergency Medicine Conference*, 2005.
- **Kliegel A et al**, "Intravenous Administration of Cold Fluids, Sedation, Analgesia and Muscle Relaxation if Sufficient for Induction but Not for Maintenance of Therapeutic Hypothermia after Cardiac Arrest", ERC 2006 Proceedings, *Resuscitation* April 2006, p. 58.
- **Ohley W et al**, "Induced Rapid Hypothermia in a Large Animal Model: Comparison of Two Noninvasive Cooling Methods" ERC 2006 Proceedings, *Resuscitation* April 2006, p. 59.,
- **Schratter A et al**, "Low Core Temperature Improves the Defibrillation Success after Cardiac Arrest in Pigs", ERC 2006 Proceedings, *Resuscitation* April 2006, p. 146,
- **Bazan N. et al**, Lipid Mediators as Novel Biomarkers and Surrogate Indicators of Neurologic Recovery after Cardiac Arrest in a Hypothermic Swine Model *AHA RESS (2006)*, *Circulation Supplement II* Vol 114 no 18.
- **Bazan NG**, "Searching for a New Strategy to Protect the Brain", *Cerebrum – The Dana Forum on Brain Science*, Jan. 2006, pp. 12-20.
- **Froehler MT, Geocadin RG**, "Hypothermia for neuroprotection after cardiac arrest: Mechanisms, clinical trials and patient care", *J Neurol Sci.* 2007 Oct 15;261(1-2):118-26.
- **Holzer M., Janata A, Haugk M, Krizanac D, Sterz F**, "Efficacy and Safety of a Novel Rapid Non-invasive Surface Cooling Device for Induction of Therapeutic Hypothermia in Patients after Cardiac Arrest", *Resuscitation Science Symposium, American Heart Association Scientific Sessions*, 2007.
- **Ohley W, Schock RB, Klock C, Schofield L, Cote M, Freedman R**, "Rapid Whole Body Cooling in Large Swine: Effects on Heart Rate and Arterial Blood Pressure", *Resuscitation Science Symposium, American Heart Association Scientific Sessions*, 2007.
- **Shraetter, A, Weihs, W, Holzer, M., Janata, A., Behringer, W., Losert, U., Ohley, Schock, R., Sterz, F.**, 'External cardiac defibrillation during wet surface cooling in pigs, *American Journal of Emergency Medicine* (2007) 25, 420-424.
- **Springler G, Janata A, , Weihs W, Bayegan K, Schratter A, Behringer W, Schock RB, Freedman RJ, Losert UM, Laggner AN, Schmidt P, Sterz F** "Reduction of neuronal Damage after prolonged cardiac arrest with mild therapeutic hypothermia", *Resuscitation Science Symposium, American Heart Association Scientific Sessions*, 2007.
- **Kollmar R et al**, "Different Degrees of Hypothermia After Experimental Stroke", *Stroke* 2007; 38: 1585-1589.
- **Majersik JJ, Silbergleit R, Meurer WJ, Brown DL, Lisabeth LD, Morgenstern LB**, "Public health impact of full implementation of therapeutic hypothermia after cardiac arrest", *Resuscitation* 2008.
- **Janata A, Weihs W, Bayegan K, Schratter A, Holzer M, Behringer W, Schock RB, Losert UM, Springler G, Schmidt P, Sterz P**, "Therapeutic hypothermia with a novel surface cooling device improves neurologic outcome after prolonged cardiac arrest in swine", *Crit Care Med* 2008 Vol. 36, no. 3, 895-902.
- **Sessler DI**, "Temperature Monitoring and Perioperative Thermoregulation", *Anesthesiology* 2008; 109; 318-38.
- **Holzer M**, "Devices for rapid induction of hypothermia", *European Journal of Anesthesiology* 2008; 25; (Suppl 42): 31-38.
- **International Liaison Committee on Resuscitation (ILCOR)**, "Post-Cardiac Arrest Syndrome", *Circulation* 2008; 118:0-0.

- **Storm C et al**, "Mild therapeutic hypothermia shortens intensive care unit stay of survivors after out-of-hospital cardiac arrest compared to historical controls, *Crit Care*. 2008;12(3):R78. Epub 2008 Jun 14.
- **Nielsen N et al**, "Outcome, timing, and adverse events in therapeutic hypothermia after out-of-hospital cardiac arrest", *Acta Anaesthesiol Scand* 2009; 53: 926-934.
- **Gaieski DF et al**, "Early goal-directed hemodynamic optimization combined with therapeutic hypothermia in comatose survivors of out-of-hospital cardiac arrest", *Resuscitation* 80 (2009); 418-24.
- **Merchant RM, Becker LB, Abella BS, et al**, "Cost-effectiveness of therapeutic hypothermia after cardiac arrest", *Circ Cardiovasc Qual Outcomes* 2009; DOI: 10.1161/CIRCOUTCOMES.108.839605.
- **Heard KJ et al**, "A randomized controlled trial comparing the Arctic Sun to standard cooling for induction of hypothermia after cardiac arrest", *Resuscitation* 2010 Vol 81, No. 1, 9-14. [link](#)
- **Mooney M**, "Cool It: Therapeutic Hypothermia for Cardiac Arrest Patients Transferred from Out-of-State Emergency Departments", *Resuscitation Science Symposium, American Heart Association Scientific Sessions*. 2009.
- **Lurie K**, "Level One Cardiac Arrest Centers are Clinically and **Cost** Effective: a Phase One Study", *Circulation*. 2008;118:S_1485-S_1486. [link](#)
- **Nichol G et al**, "Regional Systems of Care for Out-of-Hospital Cardiac Arrest. A Policy Statement from the American Heart Association", *Circulation* 2010; 121:00-00 [link](#)